

# DRY BATH CHILLER BAC71-00A



# DRY BATH CHILLER BAC71-00A

Dry Bath Chillers are reliable, easy to use and maintain. Specially designed to meet application demands of laboratories. Greater energy efficiency and less environmental impact, as well as offering increased temperature ranges and greater stability.

Used in High temperature organic distillation, External circulation, Calibration tests, High temperature experiments, Laboratory.

Also known as Cooling Bath Circulator, Refrigerated Circulator, Laboratory Refrigerated Bath Circulator.

## BAC71-00A DRY BATH CHILLER

PID controller offers precise temperature control and uniformity

Corrosion resistant inner and outer chamber made of stainless steel

Dual LED screen displays temperature and time

Protection against compressor overload, high/low voltage and current

Convenient and reliable operation

Equipped with caster for easy installation



## SPECIFICATIONS

Model	BAC71-00A
Capacity	6 L
Function	Power adjustable
Temperature Range	Maintains at 0°C
Temperature Uniformity	±0.5°C
Cleaning Tank (LxWxH)	300x150x150 mm
Outer Dimension (WxDxH)	185x185x90 mm
Weight	1.4 kg
Temperature Precision	±0.5°C
Operation Ambient Temperature	8-30°C
Maximum Input Power	220
Maximum Output Power	180
Heating Power	NO
Power Adjustable (%)	30-100
Drain	NO
Level Control System	NO
Power Supply	12 V DC, 7A





**Labtare USA**

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA  
Email: [info@labtare.com](mailto:info@labtare.com) | Website: [labtare.com](http://labtare.com)