

MICROCENTRIFUGE CEN41-040



MICROCENTRIFUGE CEN41-040

This compact, powerful micro centrifuge is useful to separate or sediment small volume samples at high speed. The short-spin key, soft brake, FastTemp features optimizes the overall function of the centrifuges. Faults are diagnosed automatically and displays fault code. These hybrid micro-centrifuge can run PCR tubes, Capillary tubes along with standard tubes.

Used in Molecular Biology Separations, Clinical, Labs, Biochemistry, Tissue Culture, Genomics, Drug discover.

Also known as Benchtop Centrifuge, Laboratory Centrifuge.

CEN41-040 MICROCENTRIFUGE

LED display

Low noise

Stable

The cover press is outward designed with Start/Stop function

Press the button to open cover to 95 degrees

The rotor is clip-on fixed, easy to exchange



SPECIFICATIONS

Model	CEN41-040
Maximum Capacity (No of tubes x Vol.)	8x1.5 ml / 0.5 ml / 0.2 ml
Maximum Speed RPM	4000
Maximum RCF	1200xg
Timer Range	1S ~ 9999 min
Fuse	250 V, 1A, ϕ 5x20
Overall Dimension	156x176x121 mm
Display	LED
Noise Level	≤ 45 dB
Weight (Net/Gross)	0.8 kg
Power Supply	AC 220V / AC 110 V, 50/60Hz

ACCESSORIES

Accessory Code	Name	Description	Unit
LS55199	Micro Quartz Cuvette	10x2x45	Set (2 pcs)



Labtare USA

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA
Email: info@labtare.com | Website: labtare.com