

TOPLOADING PRECISION BALANCE LTBAL9-23



TOPLOADING PRECISION BALANCE LTBAL9-23

Used in Chemistry, Biological Research, Industry, Laboratory.

Also known as Loading Balances, Laboratory Precision Balances, Laboratory Loading Balances, Precision Scales.

LTBAL9-23 TOPLOADING PRECISION BALANCE

Aluminium shell, Anti-jamming, Anti-radiation

LED digital display

The multiple functions modes with tare, counting, unit conversion and weighing



SPECIFICATIONS

| | |
|-----------------------|------------|
| Model | LTBAL9-23 |
| Capacity (g) | 3100 g |
| Resolution (g) | 0.01 g |
| Min Weighing (g) | 0.04 g |
| Stable Time | 3 sec |
| Display | LED / LCD |
| Sensor | Load Cell |
| Pan Size | 180x180 mm |
| Operation Temperature | 5-25°C |
| Repeatability | ±0.03 g |
| Cal. Weight | 2000 g |
| Gross Weight | 5 kg |

OPTIONAL ACCESSORIES

| Accessory Code | Name |
|----------------|--------------------------|
| 3800808008 | RS232C & RS485 Interface |
| 3800808009 | Printer |
| 3800927008 | USB |



Labtare Analytical Instruments

Email: info@labtare.com | Website: labtare.com