

DRY BATH INCUBATOR LTBAT23-6



DRY BATH INCUBATOR LTBAT23-6

Used in Immunoassays, Melting points, Enzyme reactions, Boiling points, Incubation, Activation of cultures, Laboratory procedures..

Also known as Laboratory Dry Bath Incubators.

LTBAT23-6 DRY BATH INCUBATOR

Microprocessor controlled incubation temperature and time

Compact design with stable operation

Rapid heat up, uniform heating, high stability, low energy consumption and noise

Simultaneous display of set temperature and time

Built in temperature calibration function

Aluminium blocks ensures even heat distribution, eliminating the possibility of heater burnout

Custom blocks available to meet experimental requirements

Easy cleaning, replacement and disinfection of metal blocks

Automatic fault detection and buzzer alarm function

Audio alarm indicates program completion

Over temperature protection device



SPECIFICATIONS

Model	LTBAT23-6
Temp.Control Range	R.T.+5 °C~150 °C
Temp. Setting Range	5 °C~150 °C
Time Range	1 min~99 h 59 min
Temp.Stability @40~100°C	±0.5 °C
Temp.Stability @100°C	±1 °C
Block Temp.Uniformity@40°C	±0.3 °C
Block Temp.Uniformity@>100°C	±0.5 °C
Temp. Display Accuracy	0.1 °C
Heating Speed	≤30 min(20 °C to 150 °C)
Sample Capacity	4 standard block
Voltage	AC 220 V/AC 110 V,50/60 Hz
Power	600 W
Fuse	250 V,2A/3A,φ5x20
Dimension	W.220 x D.360 x H.95mm
Net Weight	4.7 kgs

OPTIONAL ACCESSORIES

Accessory Code	Name	Description	Capacity
2002313008	Block A	6 mm	42
2002313009	Block B	7 mm	42
2002313010	Block C	10 mm	20
2002313011	Block D	12 mm	20

2002313012	Block E	13 mm	20
2002313013	Block F	15 mm	12
2002313014	Block G	16 mm	12
2002313015	Block H	19 mm	12
2002313016	Block I	20 mm	6
2002313017	Block J	26 mm	6
2002313018	Block K	28 mm	4
2002313019	Block L	40 mm	2
2002313020	Block M	0.5 mm	42
2002313021	Block N	1.5 mm	24
2002313022	Block O	2.0 mm	24
2002313023	Block P	0.2 mm	48
2002313024	Block Q	0.2 mm	96
2002313025	Block R	Flat (no hole)	96 micro-plate



Labtare Analytical Instruments

Email: info@labtare.com | Website: labtare.com