

DRY BATH CHILLER LTBAT27-6



DRY BATH CHILLER LTBAT27-6

Used in High temperature organic distillation, External circulation, Calibration tests, High temperature experiments, Laboratory.

Also known as Cooling Bath Circulators, Refrigerated Circulators, Laboratory Refrigerated Bath Circulators.

LTBAT27-6 DRY BATH CHILLER

PID controller offers precise temperature control and uniformity

Corrosion resistant inner and outer chamber made of stainless steel

Dual LED screen displays temperature and time

Protection against compressor overload, high/low voltage and current

Convenient and reliable operation

Equipped with caster for easy installation



SPECIFICATIONS

Model	LTBAT27-6
Capacity	6 L
Function	Power adjustable
Temperature Range	Maintains at 0°C
Temperature Uniformity	±0.5°C
Cleaning Tank (LxWxH)	300x150x150 mm
Outer Dimension (WxDxH)	185x185x90 mm
Weight	1.4 kg
Temperature Precision	±0.5°C
Operation Ambient Temperature	8-30°C
Maximum Input Power	220
Maximum Output Power	180
Heating Power	NO
Power Adjustable (%)	30-100
Drain	NO
Level Control System	NO
Power Supply	12 V DC, 7A



Labtare Analytical Instruments

Email: info@labtare.com | Website: labtare.com