

DRY BATH CHILLER LTBAT27-6



DRY BATH CHILLER LTBAT27-6

Used in High temperature organic distillation, External circulation, Calibration tests, High temperature experiments, Laboratory.

Also known as Cooling Bath Circulators, Refrigerated Circulators, Laboratory Refrigerated Bath Circulators.

LTBAT27-6 DRY BATH CHILLER

- PID controller offers precise temperature control and uniformity
- Corrosion resistant inner and outer chamber made of stainless steel
- Dual LED screen displays temperature and time
- Protection against compressor overload, high/low voltage and current
- Convenient and reliable operation
- Equipped with caster for easy installation



SPECIFICATIONS

Model	LTBAT27-6
Capacity	6 L
Function	Power adjustable
Temperature Range	Maintains at 0°C
Temperature Uniformity	±0.5°C
Cleaning Tank (LxWxH)	300x150x150 mm
Outer Dimension (WxDxH)	185x185x90 mm
Weight	1.4 kg
Temperature Precision	±0.5°C
Operation Ambient Temperature	8-30°C
Maximum Input Power	220
Maximum Output Power	180
Heating Power	NO
Power Adjustable (%)	30-100
Drain	NO
Level Control System	NO
Power Supply	12 V DC, 7A



Labtare Analytical Instruments

Email: info@labtare.com | Website: labtare.com