

BENCHTOP REFRIGERATED CENTRIFUGE LTCEN15-17



BENCHTOP REFRIGERATED CENTRIFUGE

LTCEN15-17

Used in Cell Separation, Precipitation, Sample Processing, Clinical, Cell Culture, Microplate Processing, Biochemistry, medical diagnosis.

Also known as Floor Standing Centrifuges, Laboratory Floor Type Centrifuges, Floor Type Refrigerated Centrifuges, Benchtop Centrifuges, Laboratory Tabletop Centrifuges.

LTCEN15-17 BENCHTOP REFRIGERATED CENTRIFUGE

Inner chamber material: Stainless Steel

Microprocessor controller

LCD display

Electronic door interlock

Automatic rotor identification

Imbalance protection

Brushless DC motor

Memory of 12 programs

19 levels of acceleration and 19 levels of deceleration

Faults are diagnosed automatically

CFC-free refrigerants system (TECUMSEH EUROPE COMPRESSOR)

Precise temperature control with double loop control design is highly efficient, allows fast heating and cooling

Operating parameters can be modified during the operation

RCF can be set up directly, without RPM to RCF translation



SPECIFICATIONS

Model	LTCEN15-17
Maximum Capacity (No of tubes x Vol.)	12x10 ml
Temp. Control Range	-20°C to 40°C increments
Temperature Accuracy	± 1°C
Maximum Speed	16500 rpm
Speed Accuracy	± 10 rpm
Maximum RCF	21630xg
Time Range	1~99 h 59 min, pulse
Temp. Accuracy	±1 °C
Acceleration Rate	40
Deceleration Rate	40
Drive System	Direct, Induction motor drive (Inverter Control)
Rotor Identification	Auto-ID Instant, Automatic
Refrigeration System	CFC-Free
Overall Dimension	24.6 x 16.5 x 14.1 in / 62.5 x 42 x 36 mm
Program	12 user-defined
Noise Level	≤ 60 dB(A)
Weight (Net/Gross)	50 kg

Max. Power Consumption	1000 W
Power Supply	AC 200-240V, 50/60Hz or AC 100-127V, 50/60Hz

OPTIONAL ACCESSORIES

Accessory Code	Name	Rotor Capacity	Max Speed (rpm)	Max RCF(g)
2501524008	No. 1 Fixed-Angle Rotor	12x1.5/2.0 ml(with adapters for 0.2/0.5ml tube)	16500 rpm	19000Xg
2501524009	No. 2 Fixed-Angle Rotor	12x5 ml	15000 rpm	18270Xg
2501524010	No. 3 Fixed-Angle Rotor	24x1.5/2.0 ml(with adapters for 0.2/0.5ml tube)	15000 rpm	21630Xg
2501524011	No. 4 Fixed-Angle Rotor	12x10 ml	12000 rpm	13310Xg
2501524012	No. 5 Fixed-Angle Rotor	48x1.5/2.0 ml(with adapters for 0.2/0.5ml tube)	12000 rpm	15970Xg



Labtare Analytical Instruments

Email: info@labtare.com | Website: labtare.com