

MICROCENTRIFUGE LTCEN29-2



MICROCENTRIFUGE LTCEN29-2

Used in Molecular Biology Separations, Clinical, Labs, Biochemistry, Tissue Culture, Genomics, Drug discover.
Also known as Benchtop Centrifuges, Laboratory Centrifuges.

LTCEN29-2 MICROCENTRIFUGE

Large radius rotor with 8 tube holes, centrifugal force is 1.5 times bigger than ordinary 6-hole rotor at the same rolling speed

The cover press-button is outward designed with start/stop function. Press the button, the cover will open automatically to 95°, which is very convenient for one-hand operation

The rotor is clip-on fixed. Very convenient for rotors exchanging yet fixed solid reliable

LED displays speed (MINI-10K+) and timing

Working is silent and stable. Free-maintenance motor, long-life and safe

Smart appearance. Multi-purpose to meet different experimental demands



SPECIFICATIONS

Model	LTCEN29-2
Rotor Capacity (No of tubes x Vol.)	8x1.5/2.0 ml, 8x0.5 ml, 16x0.2 ml(single tube or 2x8x0.2 ml strips). (With 0.5 ml and 0.2 ml tube adapter)
Speed Range	4000 rpm
RCF	Approx.700 g
Time Range	1s ~9999 min or continuous
Noise Level	≤45 dB
Voltage	AC 220 V / AC 110 V, 50/60 Hz
Power	≤ 45 W
Fuse	250 V, 1 A, Φ5x20
Overall Dimension	W.156 x D.176 x H.121 mm
Net Weight	1.5 kg

ACCESSORIES

Accessory Code	Name
2502909008	Rotor
2502909009	Strip Rotor
2502909010	Tube adaptors



Labtare Analytical Instruments

Email: info@labtare.com | Website: labtare.com