

ILLUMINATING CLIMATE CHAMBER LTCHM9-1



ILLUMINATING CLIMATE CHAMBER LTCHM9-1

Used in Supports plant and insect growth, tissue cultivation, antibiotic cultivation and preservation and other controlled temperature experiments..

Also known as Humidity Chamber, Laboratory Climatic Chamber.

LTCHM9-1 ILLUMINATING CLIMATE CHAMBER

Forced convection mode

30 Stages programmable Microcomputer PID

Imported environmental protection insulation materials

Excellent Imported temperature and humidity Sensor

SUS304 stainless steel interior material

ALLCOLDTM: Refrigeration Technology

ALLIGENTTM: Humidification System

ALLFLOWTM: Perfect Air Current Cycling



SPECIFICATIONS

| | |
|-------------------------------|---|
| Model | LTCHM9-1 |
| Capacity | 250 L |
| Temperature Range | 10°C~65°C(Light on)/0°C~60°C(Light off) |
| Temperature Uniformity | ±1 (10-40°C) |
| Temperature Fluctuation | ±1°C |
| Temperature Resolution | 0.1°C |
| Using Environment Temperature | Ambient temp.10~30°C |
| Using Environment Humidity | <70% |
| Illumination Range | 0-15000 (5 stages adjustable) |
| Timer Range | 0-99h/0-9999mins |
| Shelves | 3 |
| Inner Dimension | 1100 x 480 x 480 mm |
| Overall Dimension | 1780 x 710 x 775 mm |
| Weight (Net/Gross) | 162 kg |
| Power | 1350 W |



Labtare Analytical Instruments

Email: info@labtare.com | Website: labtare.com