

PORTABLE EXPLOSIVES DRUG DETECTOR LTCIA8-1



PORTABLE EXPLOSIVES DRUG DETECTOR

LTCIA8-1

LTCIA8-1 PORTABLE EXPLOSIVES DRUG DETECTOR

- 5-inch color touch screen.
- Fast identify speed and accurate result.
- Fashionable design and light weight.
- Battery backup time: more than 12 hours.
- With positioning function, map real-time display location.
- Device supports remote operation.
- Supports data connections for multi-platform systems, exporting.
- Test results can be compared to print, convenient and quick.
- Original Swiss imports of aviation plugs, built-in ultra-thin lithium battery.
- USB interface, equipped with wireless keyboard.
- High sensitivity: can detect 200 Picogram.
- Advanced migration tube ensures high resolution.
- Automatically cleaning system can prevent inject pollution.
- Data open to user, can add new explosive and new drugs.
- Dipstick can be reused.
- Unlimited storage, USB port to output the data.



SPECIFICATIONS

Model	LTCIA8-1
Explosives identify	A variety of military, civilian and homemade explosives: Black powder, AN, TNT, PETN, RDX, Trinitro, triazacyclohexane, nitroglycerin , COC, NG, Tetryl , HMX , DNT Aktobe, Te Quer, Tetry, dinitrotoluene (DNT), C4, Semtex etc.
Drugs identify	Cocaine hydrochloride, Heroin hydrochloride, Tetrahydrocannabinol, Methamphetamine, Ketamine hydrochloride (K powder), Morphine hydrochloride; Add new samples if necessary
Detect special explosive (unique)	TATP, HTD
Sampling	dipstick tracking trace particles, and test strip wipe Sampling
Databases	open to user, can add new type explosive (current database include 16 types narcotics and 18 types
Alarm	Audio and visual alarm with the substance's name displayed on the LCD screen
Sensitivity	Mix: Nanogram and 200 pictogram
Max Sensitivity level	50 pictogram TNT
Analysis speed	2-10 seconds
Warm-up time	Less than 20mintes (hot-start: 3 minutes)
False alarm rate	≤ 1%
Detection rate	≥ 99%
Display	5-inch color touch screen
Built-in battery	Standby time up to 12 hours
Network function	LANx1,Bluetooth,Wifi,USB*2 (support for keyboard, Mouse ,large storage etc.)

Operating temperature/Humidity	-20°C ~ 55°C
Dimension	338x148x175 mm
Net weight	Less than 2.5kgs, lightweight, easy to carry
Storage	120 GB (500GB option)
Power	24V/10A/DC
Power Adapter	Input 100-240V / AC 50-60 Hz



Labtare Analytical Instruments

Email: info@labtare.com | Website: labtare.com