

AUTOMATED SAMPLE PROCESSING SYSTEM LTHMG13-1



AUTOMATED SAMPLE PROCESSING SYSTEM

LTHMG13-1

Used in Clinical diagnosis, forensic identification, scientific research epidemic surveillance, food safety.
Also known as Automated sample preparation system, Automated sample analysis.

LTHMG13-1 AUTOMATED SAMPLE PROCESSING SYSTEM

Safety: Automated Sample Processing System is equipped with high-efficiency filter and built-in UV lamp, and it can be used with a biological safety cabinet, to effectively prevent aerosol pollution

Efficient: Cooperative processing with dual robotic arms

Convenient: Visual interface operation, easy to operate

Compatibility: Compatible with a variety of pipette tips, deep well plates, sampling tubes. (including blood collection tubes) specifications

Smart: One-key operation, smart dispensation



SPECIFICATIONS

Model	LTHMG13-1
Throughput	1-32
Processing Time	32 samples/10min
Sample Type	Plasma, serum, whole blood, swab solution and other samples
Sample Rack	1Pcs, 3x12 with locking device (compatible with a variety of sampling tubes)
Robot Arm	1 pcs (Dispensation arm)
Plate Position	2 pcs (Compatible with I-shaped and square boards)
Tip Position	3 pcs (Including tip waste box position)
Reagent Rack	1 pcs (4x2ml centrifuge tube + 4x2ml freezing tube + 4x5ml freezing tube)
Protective Function	Can be used in a biological safety cabinet External droplet catch tray design With air-tight and anti-drip design
Liquid Detection	Pneumatic liquid level detection principle, intelligent detection of blocked needle
Pipetting Volume	5-100µl (1000/50µl Tip)
Pipetting Accuracy	10µl, CV ≤ 1.5%, Accuracy ≤ 6.0%, 50µl Tip 50µl, CV ≤ 1.0%, Accuracy ≤ 2.0%, 1000µl Tip 100µl, CV ≤ 0.5%, Accuracy ≤ 2.0%, 1000µl Tip
External Size	540x637x1113 mm
Package Size	670x810x1314mm
Weight	Net Weight-56Kg Gross Weight-76kg
Power Supply	220V, 50/60Hz; 110V, 60Hz



Labtare Analytical Instruments

Email: info@labtare.com | Website: labtare.com