

# DO METER LTMET11-4



# DO METER LTMET11-4

## LTMET11-4 DO METER



### SPECIFICATIONS

Model	LTMET11-4
Dissolved Oxygen Concentration	
Sensor Type	Polarographic
Range	0.00 to 20.00 mg/L
Resolution	1.01 mg/L
Accuracy	± 0.3 mg/L
Calibration Points	Air-saturated water or zero point
Barometric Compensation	Yes
Manual Salinity Factor Correction	Yes
Saturation	
Range	(0.0 to 200.0)%
Resolution	0.10 %
Accuracy	± 10.0 %
Temperature	
Range	- 5 to 110 °C, 23 to 230 °F
Unit	°C, °F
Resolution	0.1
Relative Accuracy	± 0.2
Measurement	
Reading Mode	AutoRead, Continuous
Reading Prompts	Reading, Stable, Locked
Temp. Compensation	ATC, MTC
Data Management	
Data Storage	200 results each
Inputs	
pH Electrode	BNC(Q9)
Temp. Probe	4-pin aviation connector
Temp./DO Probe	4-pin aviation connector

Display Options	
Backlight	Yes
Auto Shutdown	300, 600, 1200, 1800, 3600 sec, off
IP Rating	IP65
General	
Power	Rechargeable Lithium batter; AC Adapter,100-240 V AC input, DC5V output
Dimensions	80 x 255 x 35 mm
Weight	400 g(0.88 lb)



**Labtare Analytical Instruments**

Email: [info@labtare.com](mailto:info@labtare.com) | Website: [labtare.com](http://labtare.com)