

MULTI-PARAMETER ANALYZER LTMET16-10



MULTI-PARAMETER ANALYZER LTMET16-10

LTMET16-10 MULTI-PARAMETER ANALYZER



Product Image Coming Soon

SPECIFICATIONS

Model	LTMET16-10
DC Voltage	
6 V/60 V/600 V	± (0.8%+3)
AC Voltage	
60 mV/600 mV/6 V/60 V/600 V/750 V	± (0.8%+3)
Resistance	
6 kΩ/60 kΩ/600 kΩ	± (1.0%+3)
6 MΩ/10 MΩ	± (1.2%+5)
Capacitance	
60 nF/600 nF/6 μF/60 μF/600 μF/6 mF	± (4.0%+5)
Frequency	
30 ~1000 Hz	± (0.5%+2)
Display	6000 Counts
Auto Range	Yes
Bargraph Display	Yes
Continuity	Yes
NCV	Yes
Live Test	Yes
Data Hold	Yes
Work Light	Yes
Back Light	Yes
Auto Power Off	Yes
Power Supply	3 x 1.5V AAA Batteries
Weight	Approx.243 g
Size	169x83x53 mm
Safety Standard/Rating	EN61010-1,EN61010-2-033, EN61326,CAT.III 600 V



Labtare Analytical Instruments

Email: info@labtare.com | Website: labtare.com