

# MULTI-PARAMETER ANALYZER LTMET16-11



# MULTI-PARAMETER ANALYZER LTMET16-11

## LTMET16-11 MULTI-PARAMETER ANALYZER



Product Image Coming Soon

### SPECIFICATIONS

| Model                                              | LTMET16-11        |
|----------------------------------------------------|-------------------|
| DC Voltage                                         |                   |
| 6 V/60 V/600 V                                     | $\pm (0.8\%+3)$   |
| AC Voltage                                         |                   |
| 60 Mv/600 mV/6 V/60 V/600 V/750 V                  | $\pm (0.8\%+3)$   |
| DC Current                                         |                   |
| 600 mA                                             | $\pm (1.0\%+3)$   |
| AC Current                                         |                   |
| 600 mA                                             | $\pm (1.5\%+3)$   |
| Resistance                                         |                   |
| 6 k $\Omega$ /60 k $\Omega$ /600 k $\Omega$        | $\pm (1.0\%+3)$   |
| 6 M $\Omega$ /10 M $\Omega$                        | $\pm (1.2\%+5)$   |
| Capacitance                                        |                   |
| 60 nF/600 nF/6 $\mu$ F/60 $\mu$ F/600 $\mu$ F/6 mF | $\pm (1.0\%+5)$   |
| Frequency                                          |                   |
| 30 ~1000 Hz                                        | $\pm (0.5\%+2)$   |
| Temperature                                        |                   |
| - 20 °C ~ 1300 °C                                  | $\pm (1.0\%+3)$   |
| - 4 °F ~ 2372 °F                                   | $\pm (1.0\% + 3)$ |
| Display                                            | 6000 Counts       |
| Auto Range                                         | Yes               |
| Bargraph Display                                   | Yes               |
| Transistor                                         | Yes               |
| Continuity                                         | Yes               |
| NCV                                                | Yes               |
| hFE                                                | Yes               |
| Live Test                                          | Yes               |
| Data Hold                                          | Yes               |

|                        |                                                |
|------------------------|------------------------------------------------|
| Work Light             | Yes                                            |
| Back Light             | Yes                                            |
| Auto Power Off         | Yes                                            |
| Power Supply           | 3x 1.5V AAA Batteries                          |
| Weight                 | Approx.250 g                                   |
| Size                   | 169x83x53 mm                                   |
| Safety Standard/Rating | EN61010-1,EN61010-2-033, EN61326,CAT.III 600 V |



**Labtare Analytical Instruments**

Email: [info@labtare.com](mailto:info@labtare.com) | Website: [labtare.com](http://labtare.com)