

# MULTI-PARAMETER ANALYZER LTMET16-14



# MULTI-PARAMETER ANALYZER LTMET16-14

## LTMET16-14 MULTI-PARAMETER ANALYZER



Product Image Coming Soon

### SPECIFICATIONS

Model	LTMET16-14
DC Voltage	
60 mV/600 mV/6 V/60 V	$\pm (0.5\%+3)$
600 V	$\pm (0.5\%+3)$
AC Voltage	
60 mV/600 mV/6 V/60 V/600 V	$\pm (0.8\%+3)$
DC Current	
600 $\mu$ A/6 mA/60 mA/600 mA	$\pm (0.8\%+3)$
6 A/10 A	$\pm (1.2\%+3)$
AC Current	
600 $\mu$ A/6 mA/60 mA/600 mA	$\pm (0.1\%+3)$
6 A/10 A	$\pm (1.5\%+3)$
Resistance	
600 $\Omega$ /6 k $\Omega$ /60 k $\Omega$ /600 k $\Omega$ /6 M $\Omega$	$\pm (1.2\%+5)$
60 M $\Omega$	$\pm (2.0\%+5)$
Capacitance	
10 nF/100 nF/1 $\mu$ F/10 $\mu$ F/100 $\mu$ F	$\pm (3.0 \% + 5)$
	$\pm (4.0 \% + 5)$
100 mF	$\pm (5.0 \% + 5)$
Frequency	
10 Hz ~ 10 MHz	$\pm (1.0\%+5)$
Duty	
1 % ~ 99 %	$\pm (3.0 \% + 5)$
Display	6000
Auto Range	Yes
Bargraph Display	Yes
Data Hold	Yes
VFD Measurement	Yes

Relative Measurement	Yes
MAX/MIN Measurement	Yes
Diode Test	Yes
Continuity	Yes
NCV Non-Contact Voltage Detection	Yes
Live Line Voltage Detection	Yes
Back Light	Yes
Power Supply	2x 1.5 VAAA
Weight	268.5
Size	166x78x48 mm
Safety Standard/Rating	EN61010-1,EN61010-2-033,EN61326,CAT.III 600 V



**Labtare Analytical Instruments**

Email: [info@labtare.com](mailto:info@labtare.com) | Website: [labtare.com](http://labtare.com)