

MULTI-PARAMETER ANALYZER LTMET16-8



MULTI-PARAMETER ANALYZER LTMET16-8

LTMET16-8 MULTI-PARAMETER ANALYZER



Product Image Coming Soon

SPECIFICATIONS

Model	LTMET16-8
DC Voltage	
200 mV/2 V/20 V/200 V	± (0.5%+2)
600 V	± (0.8%+2)
AC Voltage	
2 V/20 V/200 V	± (1.0%+3)
600 V	± (1.2%+3)
DC Current	
200 µA/2 mA/20 mA/200 mA	± (1.5%+3)
AC Current	
200 µA/2 mA/20 mA/200 mA	± (1.5%+4)
DC	
10 A	± (3.0%+3)
AC	
10A	± (3.0%+3)
Resistance	
200 Ω/2 kΩ/20 kΩ/200 kΩ/2 MΩ	± (0.8%+2)
20MΩ	± (1.0 % + 2)
Temperature	
- 20 °C ~ 1000 °C	± (3.0 % +3)
0 °F ~ 1800 °F	± (3.0 % +3)
Display	2000 Counts
Data Hold	Yes
Continuity	Yes
Diode Test	Yes
Maximum Value Hold	Yes
Power Supply	1x9 V 6F22 Battery
Weight	Approx. 172.5/173 g

Size	148x74x42 mm
Safety Standard/Rating	ENG1010-1,ENG1010-2-033, EN61326,CAT III 600 V



Labtare Analytical Instruments

Email: info@labtare.com | Website: labtare.com