

PH/ION METER LTMET9-1



PH/ION METER LTMET9-1

LTMET9-1 PH/ION METER



SPECIFICATIONS

Model	LTMET9-1
Dissolved Oxygen Concentration	
Sensor Type	Polarographic
Range	0.00 to 99.99 mg/L
Resolution	2.01 mg/L
Accuracy	± 0.3 mg/L (0.00 to 20.00 mg/L) ± 10 % (20.00 to 99.99 mg/L)
Calibration Reminder	Yes
Calibration Points	Air-saturated water or zero point
Barometric Compensation	Yes
Manual Salinity Factor Correction	Yes
Saturation	
Range	(0.0 to 600.0)%
Resolution	0.10 %
Accuracy	± 10.0 %
Temperature	
Range	-10 to 135 °C, 14 to 275 °F
Unit	°C, °F
Resolution	0.1
Relative Accuracy	± 0.2
Measurement	
Reading Mode	AutoRead(Fast, Medium, Slow), Timed, Continuous
Reading Prompts	Reading, Stable, Locked
Data Management	
Data Storage	1000 Groups
GLP Features	Yes
Inputs	
Temp./DO Probe	4-pin aviation connector
Outputs	

USB	USB 2.0 flash memory device, PC,scanner
Bluetooth	printer
Display Options	
Backlight	Yes
Auto Shutdown	300, 600, 1200, 1800, 3600 sec, off
IP Rating	IP65
Date and Time	Yes
General	
Power	Rechargeable Lithium batter; AC Adapter,100-240 V AC input, DC5V output
Dimensions	90 x 255 x 40 mm
Weight	500 g(1.1 lb)



Labtare Analytical Instruments

Email: info@labtare.com | Website: labtare.com