

BIOLOGICAL MICROSCOPE LTMIC12-4



BIOLOGICAL MICROSCOPE LTMIC12-4

Used in University, Medical, Laboratory, Research, Pharmaceutical.

LTMIC12-4 BIOLOGICAL MICROSCOPE

Excellent optical function with infinite optical system with trinocular viewing head, inclined at 30°. Innovative stand structure and sharp image display. Convenient operation and special design for viewing incubating cell tissue. Valid mould proof design. It can be used under the high temperature and high humidity environment.



SPECIFICATIONS

Model	LTMIC12-4
Viewing Head	
Trinocular viewing head, inclined at 45°	No
Trinocular viewing head, inclined at 30°	Yes
Eyepiece	
WF10X/20 mm	No
EW10X/22 mm	Yes
Objective	
LWD Plan objective 4X,10X,20X, 40X	No
LWD Infinite plan objective 4X,10X,20X, 40X . Infinite plan phase objective 10X,20X, 40X	Yes
Stage	
Double layers mechanical stage, stage size:242x172 mm, central stage: Φ110 mm,moving range:75x50 mm	No
Plain stage:160x250 mm, glass insert, attachable mechanical stage, X-Y coaxial control, moving range: 120x78 mm. Auxiliary stage 70x180 mm, Terasaki holder, Petri dish holder Φ35 mm / Φ54 mm / Φ90 mm, slide glass holder Φ54 mm	Yes
Condensor	
NA 0.3 Abbe condenser W.D.75 mm	No
ELWD Condenser NA 0.3, LWD 72 mm (without condenser 150 mm)	Yes
Interpupillary Distance	
50-75 mm / 48-75 mm	Yes
Focusing	
Coaxial coarse& fine adjustment, fine division 0.002 mm	Yes
Phase Contrast Sliding Plate	
Center of phase contrast ring plate adjustable	No
10X, 20X, 40X phase annulus plate (fixed) 10X, 20X, 40X phase annulus plate (adjustable)	Yes
Center Telescope	
Center telescope	No
Center telescope(Φ 30 mm)	Yes

<p>Halogen lamp 12 V/ 30 W, adjustable brightness</p> <p>LED lamp 3 W / Halogen lamp 6 V/30 W</p>	<p>No</p> <p>Yes</p>
<p>Blue, green, yellow and frosted glass</p> <p>Blue, green and frosted glass</p>	<p>No</p> <p>Yes</p>
<p>B,G wave band, 220 V(110 V)/100 W Fluorescent Mercury lamp;photograph connecting tube, adapter with MD or PK mount, 4X photograph eyepiece</p> <p>Inverted fluorescent attachment, photo attachment, video adapter with C mount</p>	<p>No</p> <p>Yes</p>
<p>AC110/220 V ± 10%,50/60 Hz</p>	<p>Yes</p>
<p>Package Size</p>	<p>468x397x665 mm</p>
<p>Gross Weight</p>	<p>15kg</p>



Labtare Analytical Instruments

Email: info@labtare.com | Website: labtare.com