

MULTI-TUBE VORTEX MIXER LTMIX8-1



MULTI-TUBE VORTEX MIXER LTMIX8-1

Used in Mixing, Laboratory, Research, Medical.

Also known as Laboratory Vortex Mixer.

LTMIX8-1 MULTI-TUBE VORTEX MIXER

Max capacity can process 50 samples at the same time to make the experiment more convenient and efficient

Microprocessor control, simplistic designed appearance, LED displays the speed and time

Friendly program designed, built-in short mix, timing operation, impulse and continuous modes. Operation stable and silent

A foam tube frame and tray pad configured at random. Various types of foam tube frames and pads to choose. tube frames and pads to choose



SPECIFICATIONS

Model	LTMIX8-1
Speed Range	500-2500 rpm
Speed Accuracy	±1 rpm
Shaking Orbit	4 mm
Time Range	1 s~9999 min
Interval timing between impulse	1~10 s
Timing set for impulse working	1 s~99 min 59 s
Max Load	5 kgs
Cover Plate Size	W.184 x L.311 mm
Voltage	AC 100~230 V, 50/60Hz
Power	60 W
Fuse	250 V, 1 A, φ5 x 20
Dimension	W.250 x D.426 x H.480 mm
Net Weight	15 kgs

OPTIONAL ACCESSORIES

Accessory Code	Name	Dimension	Number of Holes
3300908008	Tube frame	245 x 132 x 45 mm	
3300908009	Tube frame	245 x 132 x 45 mm	
3300908010	Tube frame	245 x 132 x 45 mm	
3300908011	Tube frame	245 x 132 x 45 mm	
3300908012	Tube frame	245 x 132 x 45 mm	
3300908013	Tube frame	245 x 132 x 45 mm	
3300908014	Tray pad set	305 x 178.5 x 25 mm	
3300908015	Φ38mm foam tube frame (suit for 100ml tube)	245x132x45 mm	10

3300908016	Acrylic tube frame Φ 11mm (suit for 1.5/2.0ml tube)	169x84x41 mm	40
------------	--	--------------	----



Labtare Analytical Instruments

Email: info@labtare.com | Website: labtare.com