

2°C-10°C LABORATORY REFRIGERATOR LTREF11-6



2°C-10°C LABORATORY REFRIGERATOR

LTREF11-6

Used in Industry, Cosmetic, Pharmaceutical, Electronics, Laboratory, Medical, Research.

Also known as Laboratory Medical Refrigerator.

LTREF11-6 2°C-10°C LABORATORY REFRIGERATOR

Microprocessor controller, temperature ranging from +2°C to +8°C, can be set freely, controlling precision 1°C, display accuracy 0.1°C. Room temperature ranging from 0°C to 32°C

Combined with two exact sensors and auto defrost

Audible and visual alarm: High or low temperature alarm, Door open alarm, Sensor failure alarm

Upright type, Exterior and Interior body made from stainless steel material, Four units Caster are mounted under the bottom

Two-layer glass door, and inert gas inside. and lockable

Interior fluorescent lighting

Adjustable 4-5 units shelves made of quality steel wire

Forced air circulation system

Highly effective condenser and expansile evaporator to provide quick freezing

Optional: Chart recorder



SPECIFICATIONS

Model	LTREF11-6
Capacity	330 L
Temperature Range	2~8°C
Refrigerant	R134a, CFC free
Refrigeration System	International famous compressor and Germany EBM fan motor
Shelves	Adjustable 4 units steel wire shelves
Internal Size	475x540x1335 mm
External Size	570x642x1940 mm
Weight	100 / 110 Kgs
Power	220 W
Power Supply	220V,50/ 60HZ, 110V,50/60HZ



Labtare Analytical Instruments

Email: info@labtare.com | Website: labtare.com