

4°C BLOOD BANK REFRIGERATOR LTREF8-5



4°C BLOOD BANK REFRIGERATOR LTREF8-5

Used in Immunohematology Department, Blood Bank, Laboratory, Research, Medical, Pharmaceutical.
Also known as Laboratory Blood Bank Refrigerator.

LTREF8-5 4°C BLOOD BANK REFRIGERATOR

Microprocessor-based temperature controller, Temperature range is $4\pm 1^{\circ}\text{C}$
Large screen LCD display of temperature, display accuracy of $\pm 0.1^{\circ}\text{C}$
Automatic temperature control, Defrost automatic
Audible and visual alarm
Upright type, Exterior made from painted steel plate, Inside is stainless steel. Four units Caster are mounted under the bottom
Three-layer glass door with heater around to prevent ice leak., inert gas inside and lockable
Interior fluorescent light
6 Inner shelves (wire plastics)
Forced air circulation system
Danfoss compressor and EBM fan motors from Germany
The high-effective air-cooled condenser and the fin-type evaporator
Two in depend refrigeration system, automatic cut-in when other one damage
Forced air circulation system.
Standard: Temperature printer
Optional: Chart recorder, Blood storage basket



SPECIFICATIONS

Model	LTREF8-5
Capacity	588 L
Temperature Range	$+4^{\circ}\text{C}$, $+2\sim +10^{\circ}\text{C}$
Refrigerant	R134a, CFC free
Refrigeration System	International famous compressor and Germany EBM fan motor.
Defrost Method	No frost design
Controller	Microprocessor Controller with LCD Display
Control Sensor	2
Alarms	High & low temperature alarm, Sensor failure alarm, Door open alarm, Power off alarm, System failure alarm
Shelves	Adjustable 5 units steel wire shelves
External Size	760x800x1977 mm
Package Size	920x950x2200 mm
Optional Accessories	Chart Recorder, Touch screen, Blood storage basket
Weight	210 Kgs
Input/Average Power	650W/325W
Power Supply	220V,50/ 60Hz, 110V,50/60Hz, 220V,50Hz/ 120V,60Hz



Labtare Analytical Instruments

Email: info@labtare.com | Website: labtare.com