

4°C BLOOD BANK REFRIGERATOR LTREF8-6



4°C BLOOD BANK REFRIGERATOR LTREF8-6

Used in Immunohematology Department, Blood Bank, Laboratory, Research, Medical, Pharmaceutical.
Also known as Laboratory Blood Bank Refrigerator.

LTREF8-6 4°C BLOOD BANK REFRIGERATOR

Microprocessor controller, Temperature range is $4\pm 1^{\circ}\text{C}$

Large screen LCD display of temperature, display accuracy is 0.1°C

Audible and visual alarm

Upright type, Exterior made from painted steel plate, Inside is 304 stainless steel. Four units Caster are mounted under the bottom

Three-layer glass door with heater around to prevent ice leak, inert gas inside and lockable

Interior fluorescent light

Forced air circulation system

The high-effective air-cooled condenser and the fin-type evaporator

Standard: Temperature printer

Optional: Chart recorder, Blood storage basket



SPECIFICATIONS

Model	LTREF8-6
Capacity	950 L
Temperature Range	$+4^{\circ}\text{C}$, $+2\sim +10^{\circ}\text{C}$
Refrigerant	R134a, CFC free
Refrigeration System	International famous compressor and Germany EBM fan motor.
Defrost Method	No frost design
Controller	Microprocessor Controller with LCD Display
Control Sensor	2
Alarms	High & low temperature alarm, Sensor failure alarm, Door open alarm, Power off alarm, System failure alarm
Shelves	Adjustable 8 units steel wire shelves
External Size	780x1200x1894 mm
Package Size	885x1300x2200 mm
Optional Accessories	Chart Recorder, Touch screen, Blood storage basket
Weight	125 Kgs
Input/Average Power	700W/350W
Power Supply	220V,50/ 60Hz, 110V,50/60Hz, 220V,50Hz/ 120V,60Hz



Labtare Analytical Instruments

Email: info@labtare.com | Website: labtare.com