

TUBE ROTATOR LTROT10-3



TUBE ROTATOR LTROT10-3

Used in Industrial, Clinical Laboratories, Academic Facilities, Environmental Applications, Food Technology, Wastewater Facilities.

Also known as Rotator, Laboratory Rotator.

LTROT10-3 TUBE ROTATOR

End-over-end or rolling action, gives gentle but effective mixing

Adjustable speed range of 0 to 80 rpm

Used with a wide variety of accessories

Continuous quiet operation



SPECIFICATIONS

Model	LTROT10-3
Speed Range	0-80 rpm
Permissible Relative Humidity	0.8
Tilt Angle (°)	90
Operation	Continuous
Dimension	150Dx530Wx190H mm
Motor Type	DC motor
Protection Class	IP21
Weight	1.7 kg
Power	20 W
Power Supply	100-240V, 50/60Hz

OPTIONAL ACCESSORIES

Accessory Code	Name	Description
3501008008	Disk and Rotisserie accessory	For 1.5ml x 12 centrifuge tubes
3501008009	Disk and Rotisserie accessory	For 15ml x 12 centrifuge tubes
3501008010	Disk and Rotisserie accessory	For 50ml x 12 centrifuge tubes



Labtare Analytical Instruments

Email: info@labtare.com | Website: labtare.com