

MULTI-TUBE VORTEX MIXER MIX35-25M



MULTI-TUBE VORTEX MIXER MIX35-25M

Constructed of rugged, corrosion-resistant materials, the instruments endure heavy everyday usage. The ergonomic low profile design makes everyday vortexing comfortable for the user. Unnecessary movement has been avoided during use due to robust die-cast body.

Used in Mixing, Laboratory, Research, Medical.

Also known as Laboratory Vortex Mixer.

MIX35-25M MULTI-TUBE VORTEX MIXER

Maximum process 50 samples at the same time to make the experiment more convenient and efficient

Microprocessor control, simplistic designed appearance

LED display the speed and time

Humanized program design, built-in short mix and timing operation modes

Operation stable and silent

Large orbital vortex, performance effective

Various types of foam tube frames and pads for option



SPECIFICATIONS

Model	MIX35-25M
Speed Range	500-2500 rpm
Shaking Speed Accuracy	±50 rpm (at 2500 rpm detection)
Orbital Diameter	4 mm
Maximum Load Capacity	5 kg
Timing Range	1s-9999 min
Top Panel Size	311x184 mm
Overall Dimension	426x250x480 mm
Weight	21.5 kg
Power	60 W
Power Supply	100-230V, 50/60Hz

OPTIONAL ACCESSORIES

Accessory Code	Name	Description
LS54178	Tube frame	245 x 132 x 45 mm
LS54190	Tube frame	245 x 132 x 45 mm
LS54202	Tube frame	245 x 132 x 45 mm
LS54214	Tube frame	245 x 132 x 45 mm

Accessory Code	Name	Description
LS54226	Tube frame	245 x 132 x 45 mm
LS54238	Tube frame	245 x 132 x 45 mm
LS54250	Tray pad set	305 x 178.5 x 25 mm



Labtare USA

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA
Email: info@labtare.com | Website: labtare.com