



STRAW MICROPIPETTE PIP14-0001

Single Channel Pipette is the new standard for microliter measurements. It is top of the line micropipette that is ergonomically designed and easily adjustable. They are commonly used in laboratory, research, chemistry, biology, forensic, pharmaceutical, and drug discovery labs to transfer small quantities of liquid.

Used in Environmental Sciences, Laboratory, Research, Liquid Handling Task, Institutes, Pharmaceutical, Industrial, Microbiology, Chemistry, Biology, Medical, Plasmid Purification.

Also known as Micropipette, Laboratory Single Channel Pipette, Laboratory Micropipette.

PIP14-0001 STRAW MICROPIPETTE

Large central pipetting button and separate ejection function True one-handed operation for both right-and left-handers Completely autoclavable at 121°C(20min)

Volume-change protection

4-Position volume display, always clearly visible externally

Short stroke of only 12.5mm to reduce the risk of RSI (Repetitve Strain Injury)

Corrosion-resistant piston and ejector

Color-coded for easy selection of the right tip



SPECIFICATIONS

Model	PIP14-0001
Autoclavable	121°C
Volume	0.1-1 ml
Accuracy % Min Vol.	<±2.0 %
Accuracy % Max Vol.	<±0.5 %
Coefficient of variation CV (%) Min Vol.	<2.5 %
Coefficient of variation CV (%) Max Vol.	<0.4 %
Length	240mm
Diameter	4mm(50pcs/bag)
Unit	10



Labtare USA